

35.

Internationale
Kulturbörse
Freiburg

22. – 25. Jan 2023




Stand

Constructions



kulturboerse-freiburg.en

Stand Constructions



Dear exhibitors,

We are pleased that you are interested in participating in the International Kulturbörse Freiburg.

We are pleased that you are interested in participating in the International Kulturbörse Freiburg. On the following pages you will find all important information about stand construction. If you still need rental furniture for the design of your stand, you will find an overview of the IKF's services in the [downloads](#) on our website.

We wish you every success in planning your trade fair appearance and should you require any assistance, please do not hesitate to contact us at any time.

Best regards,


F. Wieber

Fiona Wieber

Tel. : +49 761 3881 3521

Mail: fiona.wieber@fwtm.de






Standrentals of 35th IKF 2023

Row stand (4m² min.)


one side open



105.00 EUR/m²

Corner stand (6m² min.)


two sides open



119.00 EUR/m²

Front-end stand (12m² min.)


three sides open



124.00 EUR/m²

Island stand (25m² min.)

all sides open



135.00 EUR/m²


Mandatory Costs:

- Professional association fee : 0.60 EUR/m²
- Standard Power Supply: 63.00 EUR
- Communication package: 68.00 EUR
- Waste Disposal: 2.10 EUR/m²

The following services are included in the stand booking:

- Booked stand space incl. grey carpet
- Choice of two stand systems ("Octanorm" or "Loga") alternatively you can bring your own stand system
- Two or more exhibitor passes for you and your staff (depending on the stand space booked)
- Listing in the online exhibitor directory on the website
- Listing in the printed IKF magazine

Stand Constructions



Design your trade fair presence according to your ideas. When registering, you can choose between different stand systems or bring your own stand system.

Loga stand system:

The walls of the Loga system consist of brown wooden panels with a thickness of 2.5 cm and are only created in the shell; they must be completely covered or wallpapered (and painted if necessary) by the exhibitors using an easily soluble adhesive.



Octanorm stand system:



The walls of the Octanorm system are 1.5 cm thick and made of light grey coated hardboard in aluminium frames. These walls may only be covered with double-sided adhesive tape that can be removed without leaving any residue (e.g. Tesa Power Strips). The open sides of the stand can be closed off with a panel (at an extra charge).




Due to safety requirements for stabilisation, an additional cross brace is installed on all Octanorm stands. The number of cross braces required depends on the size of the stand. These struts are an integral part of the stand construction and may not be removed.

For head stands of 12 m² or more with a rear wall of 4 m width (both stand systems), additional side walls of 1 m width each must be installed for stabilisation, depending on the booked stand systems of the surrounding stands. These side walls are also an integral part of the stand construction and may not be removed.

Stand Dimensions



Fastening




To attach banners, posters, pictures, figures or similar to the walls, there are various possibilities depending on the chosen stand system.

For the logo walls, small rice pins or thin nails can be used carefully. Please note that these must also be removed completely after dismantling. For the Octanorm stand system, we recommend the use of hooks, as nails and rice twigs are not permitted for these walls. Screws, drilling and other fastenings are not permitted for either wall.

Please note that the following pictures only represent the selection of our hooks, which we can only issue in limited numbers on site. Alternatively, you can get these and other models at various furniture or building supply stores in Freiburg (e.g. IKEA, Möbel Braun, XXXLutz, Mömax, Obi, Bauhaus).

For large, one-piece banners, depending on the hanging device (e.g. eyelets), we recommend attaching the banners to the hooks using a thin cord so that the top edge of the banner is flush with the bottom edge of the aluminium profile. This way you can attach the banners below the crossbars without any problems.



The exhibitor is liable for any damage and the costs of repairs to the walls caused by stickers or unauthorised attachments.